

# GOBLIN

MADE IN  
ITALY

CAMP  
Safety<sup>TM</sup>

## СТРАХОВОЧНОЕ УСТРОЙСТВО

Нагрузка при спасработах 200 kg

Мягко останавливает падение

Минимальное безопасное расстояние



**Goblin Rope Surfer**  
Запатентованно



Плавно двигается по  
веревке

YouTube



GOBLIN video on  
"camp4safety"  
channel

## 0999 **GOBLIN**

Инновационное **страховочное устройство** для статических веревок диаметром **от 10 до 11 мм.**

Прочный корпус произведён **методом горячейковки** из алюминия, все остальные элементы из нержавеющей стали.

Конструкция позволяет **плавно работать** с устройством при движении вниз и вверх.

Износ веревка и последствий падения для пользователя сводятся к минимуму, благодаря **очень низкой динамической нагрузке при срабатывании (<6 kN).**

Строп (Goblin Lanyard, поставляется отдельно) доступен в двух вариантах длины, чтобы подобрать оптимальное расстояние при использовании. **Не требуется амортизатор.**

Два режима работы: Страховочное устройство и верёвочный зажим, регулируются переключением Специальной кнопки, размещенной на задней поверхности устройства.

Ограничено безопасное минимальное расстояние.

Goblin сертифицирован для индивидуального пользования до 120 кг и для **использования при солоспасении до 200 kg!**

Goblin также имеет сертификат ANSI / ASSE Z359.1-2007, согласно которому его можно использовать индивидуально до 136 kg (300 фунтов).

Goblin очень **плавно перемещается** по верёвке, благодаря новому приспособлению "**Goblin Rope Surfer**".

### **Goblin Rope Surfer** Запатентованно



**EN 12841/A-B EN 353-2**  
**ANSI/ASSE Z359.1-2007**  
**RESCUE USE 200 kg**

ROPE ACCESS

TREE CLIMBING

PYLONS/INDUSTRY

ROOFS

SELF RESCUE



280

**EN 12841/A** - Страховочное устройство **MAX 120 kg** Ⓞ  $10 \leq \varnothing \leq 11 \text{mm}$  [E]

**EN 12841/B** - Верёвочный зажим **MAX 120 kg** Ⓞ  $10 \leq \varnothing \leq 11 \text{mm}$  [E]

**EN 353-2** - Страховочное устройство на гибкой анкерной линии, сертифицировано с некоторыми верёвками **MAX 120 kg** Ⓞ  $\varnothing 10.5-11 \text{mm}$  [E]

**ANSI/ASSE Z359.1-2007** Страховочное устройство **MAX 136 kg (300lbs)** Ⓞ  $\varnothing 11 \text{mm}$  [E]

**RESCUE** - Страховочное устройство, применяемое при спас работах **MAX 200 kg** Ⓞ  $10 \leq \varnothing \leq 11 \text{mm}$  [E]





**Заправка верёвки**



**Страховочное устройство**



**Верёвочный зажим**

## GOBLIN ROPE SURFER

- Подана заявка на патент -

"Goblin Rope Surfer" - запатентованное инновационное приспособление, с помощью которого "Goblin" плавно перемещается по верёвке.

Прикреплённое к стропу "Goblin Lanyard", направляет верёвку в устройство.

"Goblin Rope Surfer" предотвращает боковые смещения верёвки во время спуска, которые могут вызвать блокировку устройства. И за счёт этого "Goblin" становится более функциональным и работает плавнее.

В случае падения, "Goblin Rope Surfer" автоматически отсоединяется от верёвки и "Goblin" мгновенно блокируется.



YouTube




ROPE SURFER  
video on  
"camp4safety"  
channel

2030026F  
2030040F  
Goblin Lanyard


0998  
Rope Surfer

0999  
Goblin





**GOBLIN - Main components**



- ① Locking lever made of precision casted stainless steel. Movement of the lever is perfectly free because no spring is assembled inside: this feature allows smooth action on the rope avoiding any unwanted locking of the device.
- ② Actioning lever made of precision casted stainless steel. The attachment hole is in this lever. When ascending and descending the lever does not touch the rope. In case of fall, it touches the rope, actioning the locking lever immediately.
- ③ Counter part of locking lever. Made of precision casted stainless steel. The rope is smoothly grabbed between locking lever and counter-part. Both surfaces are made without any teeth or rough part, preventing any rope damage or quick wear-and-tear.
- ④ Backstop part for locking lever. It stops the lever avoiding it to grab the rope too much. It allows to stop a fall in a limited distance, keeping the fall-arrest force below 6 kN.
- ⑤ Pulley. It improves rope sliding.
- ⑥ Mobile flange. Made of hot forged aluminium alloy. Anodized. Much stronger than normal blanked and bent flanges.
- ⑦ Fixed flange. Made of hot forged aluminium alloy. Anodized. Much stronger than normal blanked and bent flanges.
- ⑧ Back button. By means of a cylinder and a spring, it allows to lock/unlock the action lever, thus changing the device from fall arrester to ascender modes.
- ⑨ Opening button. Easy to open and close for rope insertion.
- ⑩ Hole for connector (d.13mm).
- ⑪ Hole to insert a cord for securing the device, preventing it from falling.
- ⑫ All the axles are made of stainless steel, by automatic turning. High strength riveting.









**GOBLIN - Available references**

**0999** - Goblin Fall-Arrester

**2030026F** - Goblin Lanyard, 26 cm long polyester webbing, 27 mm wide

**2030040F** - Goblin Lanyard, 40 cm long polyester webbing, 27 mm wide

**0998** - Goblin Rope Surfer (5 pcs), it can be installed on Goblin Lanyard

**Ref. 0999**



**Ref. 2030026F**



**Ref. 0998 (5pz)**



**Ref. 2030040F**



## Available Kits

**(kits include all the spare components, to be assembled by the user)**

**099901** - Kit including "Goblin" and "Oval Steel-Lock" connector

**099902** - Kit including "Goblin", "Silver 10.5 mm" rope 10 m long with end loops, 2 pcs. "Oval Steel Standard-Lock" connectors, "Goblin Lanyard" 26 cm

**099903** - Kit including "Goblin", "Titanium 11 mm" rope 10 m long with end loops, 2 pcs. "Oval Steel-Lock" connectors, "Goblin Lanyard" 26 cm

**099904** - Kit including "Goblin", "Titanium 11 mm" rope 10 m long with end loops, 2 pcs. "Oval Steel Standard-Lock" connectors, "Goblin Lanyard" 40 cm

**099905** - Kit including "Goblin", "Goblin Lanyard" 26 cm, 2 pcs "Oval Steel Standard-Lock" connectors

**099906** - Kit including "Goblin", "Goblin Lanyard" 26 cm, 2 pcs "Oval Steel-Lock" connectors

**099907** - Kit including "Goblin", "Goblin Lanyard" 40 cm, 2 pcs "Oval Steel Standard-Lock" connectors

**099908** - Kit including "Goblin", "Goblin Lanyard" 40 cm, 2 pcs "Oval Steel-Lock" connectors

